



Basic Substance
vinegar
SANCO/12896/2014– rev. 6
28 January 2022¹

Final Review report for the basic substance vinegar
finalised in the Standing Committee on Plants, Animals, Food and Feed
at its meeting on 29 May 2015 and amended on 13 December 2018, 26 January 2021²
and 28 January 2022¹ in view of the approval of vinegar as basic substance in
accordance with Regulation (EC) No 1107/2009³.

1. Procedure followed for the evaluation process

This review report has been established as a result of the evaluation of vinegar made in the context of the assessment of the substance provided for in Article 23 of Regulation (EC) No 1107/2009⁴ concerning the placing of plant protection products on the market, with a view to the possible approval of this substance as basic substance.

In accordance with the provisions of Article 23(3) of Regulation (EC) No 1107/2009, the Commission received on 24 April 2013 an application from ITAB, hereafter referred to as the applicant, for the approval of the substance vinegar as basic substance. On 17 March 2014 an application from the city of Paris (France) was received to extend the intended uses of the application for the approval of vinegar as basic substance.

The application and attached information were distributed to the Member States and European Food Safety Authority (EFSA) for comments. The applicant was also allowed to address collated comments and provide further information to complete the application, which was finalised in the new version of February 2014.

In 2016, the Commission also received from Charbonneaux-Brabant SA an application for the extension of use of vinegar as herbicide in non-agricultural areas and for medicinal aromatic and perfume crops. In May 2017, the Commission asked EFSA to organise a consultation on the basic substance application for the extension of use of vinegar as a herbicide.

¹ The Standing Committee on Plants, Animals, Food and Feed took note of revision 6 of the review report on 28 January 2022. The review report was amended in order to include the use of vinegar as a pH regulator to be added to water in order to facilitate solubilisation of basic substance chitosan (see Review report for the basic substance chitosan SANTE/10594/2021).

² The Standing Committee on Plants, Animals, Food and Feed took note of revision 5 of the review report on 26 January 2021. The review report was amended in order to extend the use of vinegar as basic substance to non-agricultural areas.

³ Review Report established in accordance with Art. 13 of Regulation (EU) No 1107/2009; it does not necessarily represent the views of the European Commission.

⁴ OJ L 309, 24.11.2009, p. 1-50.

For both the original request and the request for extension, in accordance with the provisions of Article 23(4) of Regulation (EC) No 1107/2009 the Commission requested scientific assistance on the evaluation of the application to EFSA, who delivered its views on the specific points raised in the commenting phase.

EFSA submitted to the Commission the results of its work in the form of a technical report for vinegar on 12 August 2014⁵ and - for the extension of use as a herbicide - on 4 August 2017⁶.

For both requests, the Commission examined the applications, the comments by Member States and EFSA and the EFSA Technical reports on the substance together with the additional information and comments provided on it by the applicants, before finalising a draft review report, which was referred to the Standing Committee on Plants, Animals, Food and Feed (afterwards “Standing Committee”) for examination. The review report was finalised in the meeting of the Standing Committee on 29 May 2015 and amended on 13 December 2018.

In November 2018, Charbonneaux Brabant SA and Greenpharma S.A.S. submitted an application for a second extension of the use of vinegar as a herbicide to be used on non-agricultural areas. For this application for extension of use, in accordance with the provisions of Article 23(4) of Regulation (EC) No 1107/2009, the Commission requested scientific assistance from EFSA for the evaluation of the application and the specific points raised by the Member States and the applicants in the commenting phase. EFSA submitted to the Commission the results of its work in the form of a technical report for the extension of the use of vinegar as a herbicide on non-agricultural areas on 11 December 2019⁷. The amended review report was finalised in the meeting of the Standing Committee on 26 January 2021.

In December 2018, the Commission received from the company KitoZyme an application concerning an approval of chitosan as a basic substance. The preparation for use of chitosan includes addition of vinegar as a pH regulator in order to facilitate solubilisation of chitosan in the diluent water. The Commission consulted EFSA and Member States, following which the Commission did not consider necessary to seek renewed scientific assistance of EFSA due to the nature of the substance and the limited use applied for, which is covered *via* a risk envelope approach considering already approved uses for vinegar as basic substance. The current review report was finalised in the meeting of the Standing Committee on 28 January 2022 (see also the conditions of approval of chitosan^{8,9} for further details as regards the intended uses).

⁵ European Food Safety Authority, 2014; Outcome of the consultation with Member States and EFSA on the basic substance application for vinegar and the conclusions drawn by EFSA on the specific points raised. EFSA supporting publication 2014:EN-641. 37 pp.

⁶ EFSA (European Food Safety Authority), 2017. Technical report on the outcome of the consultation with Member States and EFSA on the basic substance application for vinegar for extension of use in plant protection as a herbicide. EFSA supporting publication 20 17: EN - 1281. 42 pp. doi:10.2903/sp.efsa.20 17 .EN – 1281.

⁷ EFSA (European Food Safety Authority), 2019. Technical report on the outcome of the consultation with Member States and EFSA on the basic substance application for approval of vinegar for the extension of use in plant protection as a herbicide for non-agricultural areas. EFSA supporting publication 2019:EN-1766. 43 pp. doi:10.2903/sp.efsa.2019.EN-1766.

⁸ Review Report for the basic substance chitosan SANTE/10594/2021

⁹ Commission Implementing Regulation (EU) 2022/456 of 21 March 2022 approving the basic substance chitosan in accordance with Regulation (EC) No 1107/2009 of the European Parliament and of the Council concerning the placing of plant protection products on the market, and amending the Annex to Implementing Regulation (EU) No 540/2011 (OJ L 93, 22.3.2022, p. 138).

The present review report contains the conclusions of the final examinations by the Standing Committee. Given the importance of the EFSA technical report(s), and the comments and clarifications submitted (background document C), all these documents are also considered to be part of this review report.

2. Purposes of this review report

This review report, including the background documents and appendices thereto, has been developed in support of the **Commission Implementing Regulation (EU) 2015/1108**¹⁰, as amended by **Commission Implementing Regulation (EU) 2019/149**¹¹ concerning the approval of vinegar as basic substance under Regulation (EC) No 1107/2009.

The review report has been made available for public consultation by any interested parties.

Without prejudice to the provisions of Regulation (EC) No 178/2002¹², in particular with respect to the responsibility of operators, following the approval of vinegar as basic substance, operators are responsible for using it for plant protection purposes in conformity with the legal provisions of Regulation (EC) No 1107/2009 and with the conditions established in the sections 4, 5 and Appendixes I and II of this review report.

EFSA will make available to the public all background documents and the final Technical Reports of EFSA, as well as the application without the Appendixes and excluding any information for which confidential treatment is justified in accordance with the provisions of Article 63 of Regulation (EC) No 1107/2009.

Products containing exclusively one or more basic substances do not require authorisation in line with derogation set under Article 28 of Regulation (EC) No 1107/2009. As a consequence, no further assessment will be carried out on such products. However, the Commission may review the approval of a basic substance at any time in conformity with the provisions of Article 23(6) of Regulation (EC) No 1107/2009.

3. Overall conclusion in the context of Regulation (EC) No 1107/2009

The overall conclusion based on the application, including the results of the evaluation carried out with the scientific assistance of EFSA, is that there are clear indications that it may be expected that vinegar fulfils the criteria of Article 23.

Vinegar fulfils the criteria of a ‘foodstuff’ as defined in Article 2 of Regulation (EC) No 178/2002.

Considering the EFSA Technical Report from 2014 on the basic substance application for vinegar, the rate of application and the conditions of use which are described in detail in Appendix I and II, it is concluded that the use of vinegar under these conditions would not lead

¹⁰ OJ L 181, 9.7.2015, p. 75–77.

¹¹ OJ L 27, 31.1.2019, p. 20–22.

¹² OJ L 31, 1.2.2002 p. 1-24.

to concerns for human health. Furthermore, no residues are expected as the conditions of use are not expected to lead to the presence of residues in food or feed commodities at harvest.

Vinegar could be regarded as a substance of concern considering the inhalation toxicity in humans of the acetic acid contained in vinegar. However, under the proposed conditions of use, it is considered unlikely that relevant effects via inhalation could realistically occur. Vinegar does not have an inherent capacity to cause endocrine disrupting, neurotoxic or immune-toxic effects and is not predominantly used for plant protection purposes but nevertheless is useful in plant protection in a product consisting of the substance and water. Finally, it is not placed on the market as a plant protection product but available as food.

It can be concluded that the substance has neither an immediate or delayed harmful effect on human or animal health nor an unacceptable effect on the environment when used in accordance with the supported uses as described in Appendix II.

In fact, these indications were reached within the framework of the uses which were supported by the applicant and mentioned in the list of uses supported by available data (attached as Appendix II to this review report) and therefore, they are also subject to compliance with the particular conditions and restrictions in sections 4 and 5 of this report.

The risk for leaching to groundwater and the risk to birds, mammals and carbon mineralisation processes in soils was considered as open by EFSA (2014) for vinegar, however, the risk is considered small or negligible as vinegar is a natural fermentation product which is commonly used as a food. Furthermore most of the intended use rates, as described in Appendix II, are very low.

Considering the EFSA technical report from 2017 on the application for extension of use as vinegar as basic substance as a herbicide for medicinal aromatic and perfume crops, for which the corresponding rates of application and the conditions of use are described in detail in Appendix I and II, it is concluded that the use of vinegar would not lead to concerns for human health. Under the proposed rate of application for this use (10kg/ha of acetic acid), relevant effects via inhalation are considered unlikely. The risk for leaching to groundwater and the risk to birds, mammals, aquatic organisms, bees, non-target arthropods and non-target terrestrial plants was considered as open by EFSA for vinegar, however, the risk is considered small or negligible as vinegar is a natural fermentation product which is commonly used as food. Furthermore the intended use rate, as described in Appendix II, is very low.

However, such was not the case for the use in non-agricultural areas as applied for in the first extension. Therefore, the use of vinegar as herbicide on non-agricultural areas, at an application rate of 100-200 kg vinegar/ha, was not approved due to the inhalation risks and the ecotoxicological risks.

Considering the EFSA technical report from 2019 on the second application for extension of use as a herbicide in non-agricultural areas such as paths, borders, sidewalks and terraces, the application rate is the same as the already approved use in medicinal aromatic and perfume crops. The application concerns spot applications, meaning targeted applications on small or limited areas specifically where weeds are present. EFSA confirmed that it is unlikely that this second extension of use will lead to a higher risk to non-target organisms compared to the already assessed uses. Exposure to soil and surface water would not be higher from a use on non-agricultural areas compared to the use in medicinal aromatic and perfume crops. On the

other hand, a use on hard surface non-agricultural areas is expected to result in greater volatilisation, so the inhalation exposure to users / bystanders will be higher than for applications onto soil. However, EFSA confirmed that, assuming the worst-case scenario of applying pure acetic acid, and based on the recommendations of ECHA¹³ and approaches taken for negligible exposure assessment¹⁴ it can be considered that the concentration of acetic acid in the air after application of 6-12 kg vinegar/ha will be well below 1 mg/m³ (the Acceptable Operator Exposure Concentration (AOEC) set for acetic acid). This means that adverse effects on the user via inhalation are considered unlikely.

The intended use as a pH regulator in combination with water and chitosan as specified in Appendix II to Review report for the basic substance chitosan (SANTE/10594/2021) can be considered within the risk envelope of the already approved uses and are thus acceptable. Therefore, it is included in Appendix II to this review report.

Extension of the use pattern beyond those described above will require an evaluation at Community level in order to establish whether the proposed extensions of use can still satisfy the requirements of Article 23 of Regulation (EC) No 1107/2009.

4. Identity and biological properties

The main properties of vinegar are given in Appendix I.

The active substance shall have a purity as food grade containing a maximum of 10% acetic acid.

It has been established that for vinegar as notified by the applicant, no relevant impurities are considered, on the basis of information currently available, of toxicological, ecotoxicological or environmental concern.

5. Particular conditions to be taken into account in relation to the uses as basic substance of vinegar

Vinegar must be identified by the specifications given in Appendix I and must be used in compliance with conditions of supported uses as reported in Appendixes I and II.

The following conditions for use deriving from assessment of the application have to be respected by users:

- Uses as basic substance being a fungicide, bactericide are approved;
- Uses as basic substance being a herbicide is approved. To note however that, due to its unspecific phytotoxic effects, fresh vinegar residues may kill the young crop plants;

¹³ Human Exposure Expert Group (HEEG) opinion 13 on Assessment of Inhalation Exposure of Volatilised Biocide Active Substance, 2011. Available at: https://echa.europa.eu/documents/10162/19680902/heeg_opinion_13_volatilised_inhalation_exposure_en.pdf.

¹⁴ The use of the formula to estimate the saturated vapour concentration of the perfect gas law as described in the HEEG opinion 13 (see footnote 10).

- Use as pH regulator in combination with water to reach pH<5, by adding 7 ml vinegar (8% of acetic acid) per 1 L of water (in combination with chitosan as specified in the Review Report for the basic substance chitosan SANTE/10594/2021).

Use of vinegar must be in compliance with conditions specified in the Appendixes I and II of this review report.

On the basis of the proposed and supported uses (as listed in Appendix II), no particular issues have been identified.

The identification of vinegar as food ingredient implies that the Regulation (EC) No 178/2002 on food safety applies.

6. List of studies to be generated

No further studies were identified which were at this stage considered necessary.

7. Updating of this review report

The information in this report may require to be updated from time to time to take account of technical and scientific developments as well as of the results of the examination of any information referred to the Commission in the framework of Articles 23 of Regulation (EC) No 1107/2009. Any such adaptation will be finalised in the Standing Committee on Plants, Animals, Food and Feed, as appropriate, in connection with any amendment of the approval conditions for vinegar in Part C of Annex of the Regulation (EC) No 540/2011.

8. Recommended disclosure of this review report

Considering the importance of the respect of the approved conditions of use and the fact that a basic substance will be not placed on the market as plant protection product, hence, no further assessment will have to be carried out on it, it is very important to inform not only applicants but also potential users on the existence of this review report.

It is therefore recommended that the competent authorities of Member States will make available such report to the general public and operators by means of their national relevant websites and by any other appropriate form of communication to ensure that the information reaches potential users.

APPENDIX I
Identity and biological properties
VINEGAR

Common name	Vinegar
Chemical name (IUPAC)	Not applicable.
Chemical Name. (CA)	Vinegar, ext.
CAS No	90132-02-8
CIPAC No and EEC No	290-419-7
FAO SPECIFICATION	Not available.
Purity	Food grade containing a maximum of 10% acetic acid
Molecular formula	Not applicable.
Relevant impurities	Not applicable.
Molecular mass and structural formula	Not applicable.
Mode of Use	<p>Vinegar as specified above to be used in a cold water solution for seed treatment (various crops) or as a disinfectant of mechanical cutting tools as listed in Appendix II.</p> <p>Vinegar as specified above to be used in spray applications as a herbicide on medicinal aromatic and perfume crops, as well as in spot applications on paths, borders, sidewalks and terraces.</p> <p>Vinegar as specified above to be used as a pH regulator in combination with water to reach water with pH<5, by adding 7 ml vinegar (8% of acetic acid) per 1 L of water (in combination with chitosan as specified in Appendix II to the Review Report for the basic substance chitosan SANTE/10594/2021).</p>
Preparation to be used	<p>Vinegar to be diluted in compliance with the rates of application reported in Appendix II.</p> <p>Undiluted for uses as herbicide on medicinal aromatic and perfume crops.</p> <p>For the herbicidal use in spot applications on paths, borders, sidewalks and terraces, vinegar needs to be diluted to a concentration of 60% vinegar in water (60/40 vinegar/water).</p>
Function of plant protection	Fungicide, bactericide and herbicide.

APPENDIX II

VINEGAR

Crop and/or situation (a)	F G I (b)	Target (c)	Product		Application				Application rate per treatment			PHI (days) (m)	Remarks (*)			
			Type (d-f)	Conc of a.i. g/kg (i)	Method kind (f-h)	Growth stage and season** (j)	Number min max (k)	Interval between applications (min)	g a.i./hl min max (g/hl)	Water l/ha min max	g a.i./ha min max (g/ha) (l)					
Wheat seeds <i>Triticum vulgare</i> Common wheat <i>Triticum aestivum</i> Durum wheat <i>Triticum durum</i> Spelt <i>Triticum spelta</i>	F	fungi like Common bunt: <i>Tilletia caries</i> <i>Tilletia foetida</i>	Liquid for Seed Treatment (LS)	25- 50*	Seed treatment just before seeding	Autumn	1	None	25-50* per 100 kg of Seed	Not applicable	24-100**	None: Not applicable Seed treatment				
Barley seeds <i>Hordeum vulgare</i>		fungi like Barley leaf stripe <i>Pyrenophora graminea</i>				Autumn to spring								Seeds are temporary soaked in the dilution then removed	Not applicable	Seeds are temporary soaked in the preparation then removed
Market vegetables Gardening like carrot <i>Daucus carota</i> tomato <i>Solanum lycopersicum</i> bell pepper <i>Capsicum spp</i>		fungi like Alternaria: <i>Alternaria spp</i>														
Market vegetables gardening like tomato <i>Solanum lycopersicum</i> bell pepper <i>Capsicum spp</i> Cabbage <i>Brassica oleracea</i>	F G	<i>Clavibacter Michiganensis</i> <i>Clavibacter Michiganensis</i> subsp. <i>michiganensis</i> <i>Pseudomonas syringae</i> pv. <i>Tomato</i> <i>Xanthomonas</i>	Liquid for Seed Treatment (LS)	25- 50*	Seed treatment just before seeding	Autumn to spring	1	None	Seeds are temporary soaked in the dilution then removed	Not applicable	Seeds are temporary soaked in the dilution then removed	None: Not applicable Seed treatment				

Crop and/or situation (a)	F G I (b)	Target (c)	Product		Application				Application rate per treatment			PHI (days) (m)	Remarks (*)
			Type (d-f)	Conc of a.i. g/kg (i)	Method kind (f-h)	Growth stage and season** (j)	Number min max (k)	Interval between applications (min)	g a.i./hl min max (g/hl)	Water l/ha min max	g a.i./ha min max (g/ha) (l)		
		<i>campestris</i> pv. <i>Vesicatoria</i> <i>Botrytis aclada</i>											
White and red chestnut <i>Aesculus</i> L. Sycamore spp (option) <i>Acer</i> spp	F	Bacteria <i>Pseudomonas</i> <i>syringae</i> pv <i>aesculi</i>	Liquid for disinfection of mechanical cutting tools	4**	Tools application before sawing or cutting **	<i>None</i>	1 per day to each time before use	1 tree	400	None: Not applicable	None: Not applicable	None: Not applicable	Waiting period 30 seconds after washing
Hawthorns (Rosaceae) <i>Crataegus</i> spp. <i>Amelanchir</i> , <i>Aronia</i> , <i>Chaenomeles</i> , <i>Cotoneaster</i> , <i>Cydonia</i> , <i>Malus</i> , <i>Photinia</i> , <i>Potentilla</i> , <i>Prunus</i> , <i>Pyracantha</i> , <i>Prunus</i> , <i>Pyrus</i> , <i>Rosa</i> , <i>Sorbus</i> and <i>Spiraea</i>		Fire blight <i>Erwinia</i> <i>amylovora</i>	(LS)										
Many ornamental plants including <i>Acer</i> , <i>Cotoneaster</i> , <i>Euonymus</i> , <i>Forsythia</i> , <i>Magnolia</i> , <i>Philadelphus</i> , <i>Populus</i> , <i>Prunus</i> , <i>Pyrus</i> , <i>Rosa</i> , <i>Rubus</i> , <i>Syringa</i> and <i>Vaccinium</i>		Bacterial blight /canker <i>Pseudomonas</i> <i>syringae</i> pv. <i>syringae</i>											
Plane sp, <i>Platanus</i> , <i>Prunus</i> sp, Chestnut sp, <i>Aesculus</i> L. <i>Sophora</i> spp, Linden sp <i>Tilia</i>		rot fungi, especially phellins <i>Phellinus</i> , Tinder polypore and ruffled <i>Fomes</i> <i>fomentarius</i>											
Elm (elm other than Lutèce) <i>Ulmus</i> spp		vascular fungi <i>Ophiostoma</i> spp											
Maple sp, <i>Acer</i> sp.		wilt disease											

Crop and/or situation (a)	F G I (b)	Target (c)	Product		Application				Application rate per treatment			PHI (days) (m)	Remarks (*)
			Type (d-f)	Conc of a.i. g/kg (i)	Method kind (f-h)	Growth stage and season** (j)	Number min max (k)	Interval between applications (min)	g a.i./hl min max (g/hl)	Water l/ha min max	g a.i./ha min max (g/ha) (l)		
Ailanthus sp <i>Ailanthus altissima</i>		<i>Verticillium</i> spp											
Maple sp, <i>Acer</i> sp.; Sycamore, <i>Acer</i> spp; Chestnut sp, <i>Aesculus</i> L.; Beech sp, <i>Fagus</i> spp.		Sooty-Bark disease <i>Cryptostroma corticale</i>											

* expressed as acetic acid. 1/1 dilution of vinegar/water L/L

** expressed as acetic acid. 50 mL/1 L dilution of vinegar/water for vinegar at 8% acetic acid

‡ Considering 0.9 to 2 qt of seeds per ha.

- (*) For uses where the column „Remarks. As above or other conditions (h) Kind, e.g. overall, broadcast, aerial spraying, row, individual plant, to take into account (i) g/kg or g/L. Normally the rate should be given for the active substance (according to ISO) into account ; where relevant, the use situation should be described (j) Growth stage at last treatment (BBCH Monograph, Growth Stages of Plants, (e.g. fumigation of a structure) 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
- (a) For crops, the EU and Codex classification (both) should be taken (according to ISO) into account ; where relevant, the use situation should be described (j) Growth stage at last treatment (BBCH Monograph, Growth Stages of Plants, (e.g. fumigation of a structure) 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
- (b) Outdoor or field use (F), greenhouse application (G) or indoor application (I) (k) Indicate the minimum and maximum number of application possible under practical conditions of use
- (c) e.g. pests as biting and sucking insects, soil born insects, foliar fungi, weeds or plant elicitor (l) The values should be given in g or kg whatever gives the more manageable number (e.g. 200 kg/ha instead of 200 000 g/ha or 12.5 g/ha instead of 0.0125 kg/ha)
- (d) e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR) etc.. (m) PHI - minimum pre-harvest interval between the plant – type of equipment
- (e) GCPF Codes – GIFAP Technical Monograph N° 2, 1989 (m) PHI - minimum pre-harvest interval between the plant – type of equipment
- (f) All abbreviations used must be explained used must be indicated
- (g) Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench

Uses as a herbicide

Crop and/or situation (a)	F G I (b)	Target (c)	Product**		Application				Application rate per treatment			Total rate		PHI (days) (m)	Remarks (**)
			Type (d-f)	Conc of a.i. g/L (i)	Method kind (f-h)	Growth stage and season** (j)	Number min max (k)	Interval between applications (min)	kg a.i./hl min max (kg/hl)	Water l/ha min max	kg a.i./ha min max (kg/ha) (l)	kg a.i./ha min max (kg/ha) (l)			
Medicinal aromatic and perfume crops	F G	Weeds	Any other liquid (AL)	100*	Spray *	Pre crop emergence	1	-	10	100 L vinegar (no dilution)	10	10	> 120	- ** phytotoxic to plant, may kill the young plants	
paths, borders, sidewalks and terraces	F	Weeds	Any other liquid (AL)	60g/L preparation**	Direct spray (Spot Application)	Vegetation Period of the weeds	1-2	7 to 21 days	6	100 L (diluted vinegar)	6	6 to 12	Not applicable	Temp > 20°C *** phytotoxic to plant, may kill the young plants	

* Of main active substance acetic acid for vinegar at 10% acetic acid.

** expressed as acetic acid in a preparation with 60% vinegar (diluted in water), for vinegar at 10% acetic acid

*** Treatments must be delayed 24-48 hours or more after rain

Use as a pH regulator of water

Crop and/or situation (a)	F G I (b)	Target (c)	Product**		Application				Application rate per treatment			Total rate	PHI (days) (m)	Remarks (**)	
			Type (d-f)	Conc of a.i. g/L (i)	Method kind (f-h)	Growth stage and season** (j)	Number min max (k)	Interval between applications (min)	l a.i./hl min max (kg/ha)	Water l/ha min max	l a.i./ha min max (kg/ha) (l)	l a.i./ha min max (kg/ha) (l)			
Regulator of pH of water as diluent (pH<5), as specified in the Review Report for the basic substance chitosan SANTE/10594/2021	F G	NA	Any other liquid (AL)	NA	Add 7 ml of vinegar (containing 8% acetic acid) per 1 L of the diluent water before preparation of the basic substance chitosan (as specified in Review report SANTE/10594/2021)	NA	NA	NA	NA	NA	NA	NA	NA	NA	To be used in combination with chitosan, according to the recipe specified in Appendix II to Review report for the basic substance chitosan SANTE/10594/2021

* For uses where the column „Remarks. As above or other conditions to take into account

- (a) For crops, the EU and Codex classification (both) should be taken into account ; where relevant, the use situation should be described (e.g. fumigation of a structure)
- (b) Outdoor or field use (F), greenhouse application (G) or indoor application (I)
- (c) e.g. pests as biting and sucking insects, soil born insects, foliar fungi, weeds or plant elicitor
- (d) e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR) etc..
- (e) GCPF Codes – GIFAP Technical Monograph N° 2, 1989
- (f) All abbreviations used must be explained
- (g) Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench
- (h) Kind, e.g. overall, broadcast, aerial spraying, row, individual plant,
- (i) g/kg or g/L. Normally the rate should be given for the active substance (according to ISO)
- (j) Growth stage at last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
- (k) Indicate the minimum and maximum number of application possible under practical conditions of use
- (l) The values should be given in g or kg whatever gives the more manageable number (e.g. 200 kg/ha instead of 200 000 g/ha or 12.5 g/ha instead of 0.0125 kg/ha)
- (m) PHI - minimum pre-harvest interval between the plant – type of equipment used must be indicated